

# Transfer Tray P 7013

## Transfer Tray P 7013

This transfer tray is suitable for flush built-in into cash desks and is equipped with two counter-moving money carriages. It is intended for indoor use and roofed outdoor use in banks, porters' offices and other cash areas, where money and objects are to be easily and quickly interchanged at the same time and where additionally a fix pass-through is requested.

### Security

P 7013 corresponds to the Accident Prevention Regulations of the German Administrative Professional Association BGV C9 (UVV-Kassen).

### Operation

The unit is operated manually. The upper money carriage and the lower carriage move in counter directions and lock in their end positions and in mid position. Unlocking is possible by pushing the slide control. When the upper carriage in its mid position is used as fix pass-through, the openings before and behind the pass-through can be closed with flaps by a second hand lever.

### Construction and finish



Robust steel construction with long-living and maintenance-free mechanics. Upper carriage made of impact-resistant plastic. Cover frame and carriages with abrasion-resistant structure lacquering (RAL 9005, Jet black).

### Installation

The unit can be inserted from above into the prepared cut-out of counter. The edges of the frame cover the cut-out. In order to build in the unit completely flush with the counter, the desk plate can be milled.

The unit has to be supported by e.g. consoles to make sure that the whole weight does not burden on the cover frame.

It should be also possible to dismantle the unit in case later repairs and maintenance work will be necessary.



### Scope of delivery (Item No.: 100710)

Transfer Tray P 7013 - Standard Jet black

### Possible variants

P 7013/Alu, with cover frame in aluminium EV1, anodised (Item-No.: 100717)

P 7013/VA, with cover frame in stainless steel V2a (Item No.: 100718)

P7013/S, with cover frame in special RAL-colour according to customer's request

Please contact us.

### Intercommunication system

We recommend our Intercom System Delta to allow customer-friendly communication between operator and customer.

#### Security:

Corresponds to the Accident Prevention Regulations BGV C9 (UVV Kassen)

#### Cash desk cut-out:

W x D = 462 x 630 mm

#### Outer dimensions:

W x H x D = 476 x 167 x 642 mm

#### Inner clearance:




Upper tray: W x H x D = 270 x 30 x 225 mm

Lower tray: W x H x D = 298 x 86 x 286 mm

#### Required information for order:

Name and Item No.


(Our recommendation: Intercom System Delta)



approval for production

date: \_\_\_\_\_

stamp and signature



execution of surface of cover:

.....

.....

Allgemeintoleranzen DIN ISO 2768-1m  
Tolerierung DIN ISO 8015

	über	über	über	über	über
bis	6	30	100	300	1000
bis	bis	bis	bis	bis	bis
6	30	100	300	1000	2000
±0,1	±0,2	±0,3	±0,3	±0,5	±1,2

für Geradheit und Ebenheit ISO 2768 Toleranzklasse K  
±0,05 ±0,1 ±0,2 ±0,4 ±0,6 ±0,8

für Rechtwinkligkeit ISO 2768 Toleranzklasse K  
0,1 0,3 0,4 0,6 0,8 1

Das Urheberrecht an dieser Zeichnung und sämtlicher Beilagen verbleibt bei uns. Sie sind dem Empfänger nur zum persönlichen Gebrauch anvertraut. Ohne unsere schriftliche Genehmigung dürfen sie nicht vervielfältigt, nicht dritten Personen mitgeteilt oder zugänglich gemacht werden. Widerrechtliche Benutzung durch den Empfänger oder Dritte hat zivil- und strafrechtliche Folgen.



**SITEC GMBH**  
SICHERHEITSEINRICHTUNGEN  
JOHANN-GEORG-HERZOG-STR. 19  
D-96369 Weissenbrunn  
TELEFON : 09261/60750  
TELEFAX : 09261/607510

Auftrag:					
Projekt-Nr.:	P 7013				
Kunde:					
Werkstoff:					
Wenn ohne Angabe: Kanten: Gratfrei R=0,2 Oberfläche: DIN ISO 1302 Reihe2 Rz 50	Vers. Änderung	Datum	Name		
	Erstellt Glaser	21.11.2008			
	Geändert Glaser	02.12.2008	Masstab: 1:5	Format: A3	
	Geprüft		Zeichnungsnummer:	Index:	
	Name	Datum	7.7013.00	0	
Benennung: P 7013 customer's drawing standard				Artikel-Nr.:	
Dosname: X:P7013\7_7013_00_0_2.DWG			Ursprung:		